

64331 FL-A 30W-10

6.6 A Current Controlled Halogen - Reflector Lamps for Series Operation



Areas of application

- Airfield Lighting

Product features and benefits

- Low maintenance costs due to long lamp life
- Consistent light output over the life of the lamp
- Durable construction provides resistance to the effects of vibration
- IR radiation provides guidance in low visibility conditions and facilitates defrosting in cold climates
- FAA approved in conjunction with many OEM fixtures
- Dimmable
- Flicker-free operation
- Ability to reduce light output when needed
- Mercury-free

Technical data


General Product Information

Product number (Americas)	58964
Product name (Americas)	6.6A 30MR16 64331A FL 20/CS 1/SKU
Global order reference	64331 FL-A 30W-

Electrical Data

Nominal wattage	30 W
Nominal current	6.6 A
Type of current	AC

Physical Attributes & Dimensions



Connector B, female round



Connector A, female

Lamp base	Leads w/female A
Diameter (in)	1.984 in
Diameter	50.4 mm
Length	48.0 mm
Connector: presence	Yes
Connection with cable	Yes
Product weight	25.00 g

Lifetime Data

Nominal lifetime	1000 hr
------------------	---------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321229564
Declaration no. in SCIP database	No declarable substances contained

Product datasheet

Candidate list substance 1	No declarable substances contained
----------------------------	------------------------------------

Product datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321229564	64331 FL-A 30W-10	Folding carton box 1	50 mm x 50 mm x 62 mm	0.16 dm ³	32.00 g
4008321229571	64331 FL-A 30W-10	Shipping carton box 20	257 mm x 110 mm x 131 mm	3.70 dm ³	788.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.